



Gemite’s Contribution to LEED Project Points

LEED Commitment

Gemite Products Inc. is committed to minimizing the impact on the environment by:

- Minimizing waste
- Developing zero or low VOC products
- Locating manufacturing and distributing facilities to close to our customers
- Respecting energy conservation guidelines
- Ensuing a safe and accident free work place

What is LEED

Leadership in Energy and Environmental Design (LEED) is a rating system developed the U.S. Green Building Council to help define green building standards

LEED Rating of Gemite Products

The use of Gemite products qualifies for up to 5 points. See the attached table, which summarizes the LEED points by product. Gemite materials are manufactured in Mississauga, Ontario, and MR 5.1 and MR 5.2 apply within the 500 miles radius.

For further information please contact Gemite Technical service: (905) 672-2020 or e-mail: info@gemite.com

	AREA	CREDIT	POINTS	REQUIREMENTS
Materials Resources	Recycled content	MR 4.1	1	<ul style="list-style-type: none"> • 10% of building materials must be recycled materials based on the cost of the total value of the materials in the project • Recycled material content is the sum of post-consumer content and one-half of the pre-consumer content
		MR 4.2	1	<p>(In addition to MR.1)</p> <ul style="list-style-type: none"> • 20% of building materials must be recycled materials based on the cost of the total value of the materials in the project • Recycled material content is the sum of post-consumer content and one half of the pre-consumer content
Indoor Environmental Quality	Regional Materials	MR 5.1	1	<ul style="list-style-type: none"> • 10% (based on cost) of building materials and extracted, harvested, recovered and manufactured regionally, within 500 miles of the project
		MR 5.2	1	<ul style="list-style-type: none"> • 20% (based on cost) of building materials and extracted, harvested, recovered and manufactured regionally, within 500 miles of the project
	Low-emitting Materials	EQ 4.1	1	<ul style="list-style-type: none"> • Low-emitting Materials for adhesives sealants, paints, wood products and carpet systems. • VOC limit is 65 g/L for tile adhesives, 100 g/L for wood flooring adhesives, 70 g/L for multi-purpose construction adhesives

Gemite's Contribution to LEED Project Points

Product Code	Product Name	Recycled Content		Regional Materials (500 miles radius)		Low Emitting Materials
		MR 4.1	MR 4.2	MR 5.1	MR 5.2	
G 480 A	Adi-Con AE 100			*	*	*
G 465	Adi-Con AWA 100			*	*	*
G 466	Adi-Con AWA 200			*	*	*
G 803 AC	Adi-Con BA AC			*	*	*
G 810 AC	Adi-Con BA AC Super			*	*	*
G 401 ADK	Adi-Con CSF (R) Admixture Kit	*	*	*	*	*
G 400 A	Adi-Con CSF Admixture	*	*	*	*	*
G 405 A	Adi-Con CW Plus Admixture			*	*	*
G 495 A	Adi-Con Fibre 100 (PP)	*		*	*	*
G 420 A	Adi-Con SA 100			*	*	*
G 485 A	Adi-Con SER			*	*	*
G 450 A	Adi-Con SP 100			*	*	*
G 454 A	Adi-Con SP 500			*	*	*
G 467	Adi-Con VCA 100			*	*	*
G 468	Adi-Con VCA 200			*	*	*
G 941 PK	Cem-Kote Barrier Coat 100 Premix Kit			*	*	*
G 946 P	Cem-Kote CW Plus Premix	*		*	*	*
G 945 P	Cem-Kote CW ST Premix	*		*	*	*
G 965 CR PK	Cem-Kote Flex CR Premix Kit			*	*	*
G 967 PK	Cem-Kote Flex Crack Premix Kit			*	*	*
G 952 PK	Cem-Kote Flex GP Premix Kit	*		*	*	*
G 951 PK	Cem-Kote Flex PLUS Premix Kit	*		*	*	*
G 950 PK	Cem-Kote Flex ST Premix Kit	*		*	*	*
G 960 PK	Cem-Kote Flex TC Premix Kit			*	*	*
G 948 P	Cem-Kote PLUS Premix			*	*	*
G 940 P	Cem-Kote ST Premix			*	*	*
P 115- PL	Deck-Prime 100					*
P 118- PL	Deck-Prime 200					
P 101	Deck-Seal 100					*
P 125- PL	Deck-Seal 100 Mastic					
P 102	Deck-Seal 200					*
G 921 PK	Fiber-Prime Premix Kit			*	*	*
G 909 P	Fibre-Patch ES Premix	*		*	*	*
G 735 P	Fibre-Patch Grout ST Premix (Anchor)	*		*	*	*
G 912 P	Fibre-Patch OV Lite Premix	*		*	*	*
G 908 P	Fibre-Patch OV Premix	*		*	*	*
G 730 P	Fibre-Patch RM ST Premix	*		*	*	*
G 906 C	Fibre-Patch ST Concentrate	*		*	*	*
G 907 P	Fibre-Patch ST Premix	*		*	*	*
G 930 P	Fibre-Patch WP Premix			*	*	*
U1030	Flex-Top RDM 100 Primer	N/A				
U1035	Flex-Top RDM 200 Tinted	N/A				
U1020	Flex-Top RM	N/A				
G1135 G PK	Gem-Bond EP Grey			*	*	*
G1090	Gem-Cote CP 100			*	*	*
G1054 PK	Gem-Cote EP 100 Kit - Tinted			*	*	*
G1054 PRM PK	Gem-Cote EP 100 Primer/Sealer Kit			*	*	*
G1056 PK	Gem-Cote EP 201 Primer Kit			*	*	*
G1050 PK	Gem-Cote EP ST Premix Kit			*	*	*
G1057 PK	Gem-Cote S ST Adhesive Premix Kit					*
G1080 PK	Gem-Cote UE 200 Coating Kit			*	*	
G1086 PK	Gem-Cote UE 200 Primer Kit			*	*	
G1058 PK	Gem-Cote W ST Primer Premix Kit					*
G1059 PK	Gem-Cote W ST Resin Premix Kit					*
G1060	Gem-Cote WA ST					*
G1151 C	Gem-Crete CR Concentrate	*	*	*	*	*
G1150 P	Gem-Crete CR Premix	*		*	*	*
G1152 C	Gem-Crete CR Slurry Concentrate	*		*	*	*
G 551 C	Gem-Crete HDO Concentrate	*		*	*	*
G 550 P	Gem-Crete HDO Premix	*		*	*	*
G 552 C	Gem-Crete HDO Slurry Conc.	*		*	*	*
G 560 G PK	Gem-Crete HF ST	*		*	*	*
G 557 P	Gem-Crete TO Premix			*	*	*
G 440 A	Gem-Gard MCI			*	*	*
G 514	Gem-Gard SI 100 Concentrate			*	*	*
G 515	Gem-Gard SL Plus ET			*	*	
G 512	Gem-Gard SL Plus MS			*	*	

Gemite's Contribution to LEED Project Points

Product Code	Product Name	Recycled Content		Regional Materials (500 miles radius)		Low Emitting Materials
		MR 4.1	MR 4.2	MR 5.1	MR 5.2	
G 521	Gem-Gard SL ST ET			*	*	
G 516	Gem-Gard SL ST MS			*	*	
U 522	Gem-Gard Stain OP SB			*	*	
G 525	Gem-Gard SX MB			*	*	
G 505	Gem-Gard SX Plus			*	*	
G 500	Gem-Gard SX ST			*	*	
G 510	Gem-Gard SX WB			*	*	*
G 107 P	Gem-Plast Flex ST Premix	*		*	*	*
G 105 C	Gem-Plast FR Concentrate	*	*	*	*	*
G 106 P	Gem-Plast FR Premix	*		*	*	*
G 109 P W	Gem-Plast Pool Plaster Premix			*	*	*
G 101 CK	Gem-Plast TC Concentrate Kit			*	*	*
G 100 P	Gem-Plast TC Premix			*	*	*
G1016	Gem-Seal MB Clear PLUS			*	*	
G1015	Gem-Seal MB Clear ST			*	*	
G1030	Gem-Seal WA ST			*	*	*
G1031	Gem-Seal WUA ST			*	*	*
G1250	Gem-Strip CF					*
G1130 PK	Gem-Weld LVG			*	*	
G1131 PK	Gem-Weld LVP			*	*	
G1132 PK	Gem-Weld LVP LE			*	*	
G1250	Gem-Wrap CF			*	*	*
U2422	Graffiti-Shield ST Cleaner			*	*	*
U2420	Graffiti-Shield ST WB			*	*	*
G1946 P	Nano-Shield OSP Premix	*		*	*	*
U2707	Primer # 300			*	*	*
G 290	Primer # 410			*	*	*
G 375	Primer # 550			*	*	*
G 541	Rain-Shield Clear MB WB			*	*	*
U 516	Rain-Shield Clear SX SB			*	*	*
U 517	Rain-Shield Clear SX SB Odorless	N/A				
U 540	Rain-Shield Clear SX WB			*	*	*
U 575	Rain-Shield Stain OP WB			*	*	*
G 130	Reinforcing Fabric FC			*	*	*
G 145	Reinforcing Fabric HD	*	*	*	*	*
G 147	Reinforcing Fabric LW	*	*	*	*	*
G 135	Reinforcing Fabric NC			*	*	*
G 140	Reinforcing Fabric NW	*		*	*	*
G 737 C	Soil Injection Grout Concentrate	*		*	*	*
G 641 C	Spray-Con DS ST Concentrate	*	*	*	*	*
G 640 P	Spray-Con DS ST Premix	*		*	*	*
G 628 C	Spray-Con WS Plus Conc.	*	*	*	*	*
G 628 P	Spray-Con WS Plus Premix	*		*	*	*
G 603 C	Spray-Con WS ST Concentrate	*	*	*	*	*
G 605 P	Spray-Con WS ST Premix	*		*	*	*
G 217 P	Sure-Flo FT 100 Premix	*		*	*	*
G 216 P	Sure-Flo PLUS Premix	*		*	*	*
G 214 C	Sure-Flo ST Concentrate	*	*	*	*	*
G 215 P	Sure-Flo ST Premix	*		*	*	*
G 240 P	Sure-Flo WF Premix	*		*	*	*
G 114 C	Thermo-Shield FC Adhesive			*	*	*
G 113 P	Thermo-Shield FC Premix			*	*	*
G 125 PK	Thermo-Shield Foundation Coating	*		*	*	*
G 119 C	Thermo-Shield NC Concentrate	*		*	*	*
G 120 P	Thermo-Shield NC Premix	*	*	*	*	*
U2908	Tuff-Cote GF			*	*	*
U2909	Tuff-Cote SF			*	*	*
U2905	Tuff-Cote SNR			*	*	*
U2904	Tuff-Cote TRS			*	*	*
U1009	Tuff-Flex CA Smooth			*	*	*
U1010	Tuff-Flex CA Textured			*	*	*
G 518	Gem-Gard SL IS Plus			*	*	
G 517	Gem-Gard SL IS ST			*	*	
G 519	Gem-Gard SL MB			*	*	