

# Prepared in accordance with GHS standard Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Revision date: June 2019 Page: Page 1 of 6

#### Section 1: Identification

**Product Identifier (Name)** Gem-Cote S ST Adhesive<sup>™</sup> Component A

#### Relevant identified uses of the chemical and restriction on use

The "Relevant" use identified is provided solely to conform to Governmental requirements and is not included in the manufacturer's published data and specifications. The complete information on identified uses is not available now, and the Safety Data Sheet ("SDS") will be updated, as it becomes available.

#### Details of the supplier of the safety data sheet

Manufacturer Gemite Products Inc.

1787 Drew Road, Mississauga, Ontario, L5S 1J5, Canada

Telephone (905) 672-2020 Emergency telephone number 905 672 2020

Other means of identification

Chemical family Epoxy Resin
T.D.G. Classification: Not regulated
IATA: Not regulated

#### Section 2: Hazard(s) identification

#### 2. Hazards identification

#### **GHS Classification**

Skin corrosion/irritationCategory 2Serious eye damage/eye irritationCategory 2ASkin sensitizationCategory 1

#### **GHS Label element**



#### **Inhalation**

Remove to fresh air. Get medical attention immediately if symptoms occur.

#### Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.

#### Skin contact

May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. Wash off immediately with soap and plenty of water for at least 15 minutes.

#### Ingestion

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

#### Self-protection of the first aider



## Prepared in accordance with GHS standard Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Revision date: June 2019 Page: Page 2 of 6

Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed: Low toxicity.

#### Note to physicians

Treatment based on sound judgment of physician and individual reactions of patient.

Low toxicity. May cause dermatitis, prolonged or repeated contact may cause skin sensitization. Causes serious eye irritation Vapors given off by heated product may be harmful. Causes skin irritation

See Section 11 for more detailed information on health effects and symptoms.

Section 3: Composition/information on ingredients					
INGREDIENTS	%	TLV	CAS NO.		
Diglycidylether of Bisphenol A	15-35	N/A	25068-38-6		
Silica	3	N/A	60676-86-0		
Titanium Dioxide	1-10	N/A	13463-67-7		
Section 4: First-aid measures					

#### **Description of First Aid measures**

If inhaled: Move to fresh air.

In case of skin contact: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. In case of eye contact: Flush eyes with water as a precaution. Remove contact lenses. Keep eye wide open while rinsing. If swallowed: Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed: No known significant effects or hazards.

See Section 11 for more detailed information on health effects and symptoms.

**Protection of first-aiders**: No hazards which require special first aid measures.

Notes to physician: Treat symptomatically.

#### Section 5: Fire-fighting measures

#### **Suitable Extinguishing Media**

Carbon dioxide. Dry chemical. Water may not be effective to extinguish fire. Foam.

#### Specific hazards arising from the substance or mixture

Containers may rupture. Use water spray to cool containers. The frothing may be violent and could endanger personnel close to the fire. However, a water spray or fog that is carefully applied to the surface of the liquid, preferably with a fine spray or fog nozzle, will cause frothing that will blanket and extinguish the fire. Water may cause frothing. Epoxy resin solutions may accumulate static charge during unloading or use. Do not direct a solid stream of water or foam into hot, burning pools; this may cause frothing and increase fire intensity. Fight fire from a safe distance and from a protected location. Isolate and restrict area access.

#### **Hazardous combustion products**

Toxic fumes. Oxides of carbon.

#### Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment

#### Section 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures:

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.



## Prepared in accordance with GHS standard Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Revision date: June 2019 Page: Page 3 of 6

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Local authorities should be advised if significant spillages cannot be contained.

**Environmental precautions:** Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up: Prevent further leakage or spillage if safe to do so. Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal

#### Section 7: Handling and storage

Precautions for safe handling: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Conditions for safe storage, including any incompatibilities: Place away from incompatible materials. Store in a cool, dry, well ventilated area, away from heat and ignition sources. Store in accordance with good industrial practices.

#### Section 8: Exposure controls/personal protection

This product as supplied contains no hazardous substances with occupational exposure limit values. Contact local authorities for applicable exposure limits

**Appropriate engineering controls:** Local exhaust ventilation as necessary to maintain exposures to within applicable limits. Individual protection measures, such as personal protective equipment

Eye/face protection: Chemical safety glasses with side shields or splash proof goggles.

**Hand protection:** Impervious gloves. Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Skin and body protection:** Wear suitable protective clothing. Long sleeved clothing. If exposure exceeds occupational exposure limits, use an appropriate NIOSH-approved respirator.

**General hygiene considerations:** Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing.

**Respiratory protection**: Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapor/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

**Hygiene measures:** Wash hands before breaks and immediately after handling the product. Remove contaminated clothing and protective equipment before entering eating area.

#### Section 9: Physical and chemical properties

#### Information on basic physical and chemical properties

Physical state liquid

Color white paste color when tinted

Odor mild

Odor threshold no information available

Flash point: not applicable Ignition temperature: not applicable Decomposition temperature: no data available Lower explosion limit (Vol%): no data available Upper explosion limit (Vol%): no data available Flammability (solid, gas): not applicable no data available Oxidizing properties: Autoignition temperature: not applicable



## Prepared in accordance with GHS standard Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Revision date: June 2019 Page: Page 4 of 6

pH: not applicable
Melting point/range: no data available

Flash point: >250°C

Vapor pressure:

Density at 73 °F (23 °C)

Viscosity, dynamic:

Relative vapor density:

Evaporation rate:

Burning rate:

Volatile organic compounds, (VOC) content: no data available
no data available
not applicable

#### Section 10: Stability and reactivity

**Reactivity/Chemical Stability:** Stable under normal conditions **Possibility of hazardous reactions:** No additional remark.

Conditions to avoid: Excessive heating over a long period of time degrades the resin. Avoid contact with heat, sparks,

open flame, and static discharge.

**Incompatible materials:** Strong acids. Strong bases. Strong oxidizers. Amines.

Hazardous decomposition products: Toxic fumes. Oxides of carbon.

#### **Section 11: Toxicological information**

#### Information on likely routes of exposure

**Inhalation:** Vapors given off by heated product may be harmful.

Eye contact: Causes serious eye irritation.

Skin contact: May cause dermatitis, prolonged or repeated contact may cause skin sensitization. Causes skin irritation.

Ingestion: Low toxicity.

Information on toxicological effects

Symptoms: itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

**Numerical measures of toxicity** 

Acute toxicity: The following values are calculated based on chapter 3.1 of the GHS document. ATE mix (oral) 11,400.00

mg/kg

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation: Causes skin irritation. May cause dermatitis, prolonged or repeated contact may cause skin

sensitization.

**Serious eye damage/eye irritation:** Causes serious eye irritation.

Respiratory or skin sensitization: May cause sensitization by skin contact.

**Germ cell mutagenicity:** No information available.

**Carcinogenicity**: No information available. **Reproductive toxicity**: No information available.

Specific target organ systemic toxicity - single exposure: No information available.

Specific target organ systemic toxicity - repeated exposure: No information available.

**Aspiration hazard:** No information available. **Reproductive toxicity:** No information available.

**Specific target organ systemic toxicity - single exposure:** No information available. **Specific target organ systemic toxicity - repeated exposure:** No information available.

#### Section 12: Ecological information

#### **Ecotoxicity**



## Prepared in accordance with GHS standard Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Revision date: June 2019 Page: Page 5 of 6

The environmental impact of this product has not been fully investigated.

Persistence and degradability: No information available.

Bioaccumulation: No information available.

Other information: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**Section 13: Disposal considerations** 

Waste treatment methods: Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation. Do not reuse empty containers.

**Waste from residues:** Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. **Contaminated packaging:** Empty containers should be taken to an approved waste handling site for recycling or

disposal.

**Section 14: Transport information** 

DOT: not dangerous goods
IATA: not dangerous goods
IMDG: not dangerous goods
Special precautions for user: no data available

Section 15: Regulatory information

TSCA Complies DSL/NDSL Complies

Legend:

NFPA:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### Section 16: Other information

**HMIS Classification** 

**HMIS Health Rating:** Health hazards 2

Flammability 0 Physical hazards 0 Personal protection X Health hazards 2

Flammability 0
Instability 0

Physical and chemical properties – personal protection X

**Caution:** HMIS® rating is based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® rating is not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® rating is to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). Please note HMIS® attempts to convey full health warning information to all employees.

#### Notice to reader

The information contained in this Safety Data Sheet is based on our level of knowledge at the time of its preparation. Our most current Sales Terms & Conditions shall apply. Please consult the technical data sheet for the appropriate products, and current guide specifications and application instructions, prior to any use and processing.



## Safety Data Sheet Prepared in accordance with GHS standard Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Revision date: June 2019 Page: Page 6 of 6

The terms of this Safety Data Sheet do not create, or infer, any warranty, express or implied, including by incorporation into, or reference in, any seller's documents or sales agreement.



## Prepared in accordance with GHS standard Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Revision date: June 2019 Page: Page 1 of 8

#### **Section 1: Identification**

**Product Identifier (Name)** Gem-Cote S ST Adhesive<sup>™</sup> Component B

#### Relevant identified uses of the chemical and restriction on use

The "Relevant" use identified is provided solely to conform to Governmental requirements and is not included in the manufacturer's published data and specifications. The complete information on identified uses is not available now, and the Safety Data Sheet ("SDS") will be updated, as it becomes available.

#### Details of the supplier of the safety data sheet

Manufacturer Gemite Products Inc.

1787 Drew Road, Mississauga, Ontario, L5S 1J5, Canada

Telephone (905) 672-2020 Emergency telephone number 905 672 2020

Other means of identification

Chemical family Epoxy Resin Curative – modified amine

UN 2735, Class 8, PG III, Liquid, corrosive, (isophoronedamine)

#### Section 2: Hazard(s) identification

#### 2. Hazards identification

**Health Hazards** 

Acute toxicity (Inhalation-vapor)Category 4Skin Corrosion/IrritationCategory 1ASerious Eye Damage/Eye IrritationCategory 1Skin sensitizerCategory 1Toxic to reproductionCategory 2

Specific Target Organ Toxicity Repeated Exposure

Acute toxicity, oral2.4 %Acute toxicity, dermal32.4 %Acute toxicity, inhalation, vapor73.5 %

Acute toxicity, inhalation, dust

or mist 83.5 %

**Environmental Hazards** 

Acute hazards to the aquatic environment Category 1
Unknown toxicity – Environment 50.5%
Acute hazards to the aquatic environment 89.5%

#### **GHS Label elements**









Signal Word: Danger

Hazard Statement: Harmful if inhaled.

Causes severe skin burns and eye damage.



## Prepared in accordance with GHS standard Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Revision date: June 2019 Page: Page 2 of 8

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.

Causes damage to organs through prolonged or repeated exposure.

Very toxic to aquatic life.

#### **Precautionary Statements:**

**Prevention:** Use only outdoors or in a well-ventilated area. Do not breathe dust or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Avoid release to the environment.

**Response:** IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Specific treatment (see this label). Wash contaminated clothing before reuse. Collect spillage.

Storage: Store locked up.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC): None.

#### Section 3: Composition/information on ingredients

INGREDIENTS	%	TLV	CAS#
Polyoxyalklylenediamine	10-20	N/A	9046-10-0
N2, 4,6, tris (dismethyl-	1-5	N/A	90-72-2
aminimethyl phenol)			

#### Section 4: First-aid measures

**Ingestion:** Rinse mouth. Call a physician or poison control center immediately. Never give liquid to an unconscious person. Do not induce vomiting without advice from poison control center.

**Inhalation:** breathing stops, provide artificial respiration. Move to fresh air. If breathing is difficult, give oxygen.

**Skin Contact:** Call a physician or poison control center immediately. Destroy or thoroughly clean contaminated shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical attention.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately.

#### Most important symptoms/effects, acute and delayed

**Symptoms:** Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping. Extreme irritation of eyes and mucous membranes, including burning and tearing. Indication of immediate medical attention and special treatment needed

**Treatment:** Symptoms may be delayed.

### **Section 5: Fire-fighting measures**

**General Fire Hazards:** No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media: Do not use water jet an extinguisher, spread the fire.



## Prepared in accordance with GHS standard Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Revision date: June 2019 Page: Page 3 of 8

Specific hazards arising from the chemical: During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

**Special fire-fighting procedures:** No data available.

Special protective equipment for fire-fighters: Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

#### Section 6: Accidental release measures

**Personal precautions, protective equipment and emergency procedures:** See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

**Methods and material for containment and cleaning up:** Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations. **Notification Procedures:** In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid release to the environment.

#### Section 7: Handling and storage

**Precautions for safe handling:** Wash hands thoroughly after handling. Do not get in eyes. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Do not get in eyes, on skin, on clothing. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities: Store locked up.

#### Section 8: Exposure controls/personal protection

Chemical Identity	Туре	Exposure Limit Value	Source
Heavy aromatic naphtha – Non- aerosol	TWA	200 mg/m3	US. ACGIH Threshold Limit Values (03 2014)
as total hydrocarbon vapor			
Heavy aromatic naphtha	PEL	100 ppm 400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Heavy aromatic naphtha – Non- aerosol	TWA	200 mg/m3	Canada. British Columbia OELs.
as total hydrocarbon vapor			Occupational Exposure Limits for Chemical
			Substances, Occupational Health and
			Safety Regulation 296/97, as amended) (05
			2013)
Heavy aromatic naphtha – Non- aerosol	TWA	200 mg/m3	Canada. Ontario OELs. (Control of Exposure
as total hydrocarbon vapor			to Biological or Chemical Agents) (11 2010)
Heavy aromatic naphtha	TWA	525 mg/m3	Canada. Ontario OELs. (Control of Exposure
			to Biological or Chemical Agents) (11 2010)
Heavy aromatic naphtha	TWA	400 ppm 1,590 mg/m3	Canada. Quebec OELs. (Ministry of Labor -
			Regulation Respecting the Quality of the
			Work Environment) (11 2011)
Triethylenetetramine	TWA	0.5 ppm 3 mg/m3	Canada. Ontario OELs. (Control of Exposure
·			to Biological or Chemical Agents) (11 2010)

#### Section 9: Physical and chemical properties

Information on basic physical and chemical properties



## Prepared in accordance with GHS standard Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Revision date: June 2019 Page: Page 4 of 8

Physical state liquid
Appearance Black paste

Odor threshold no information available

Flash point: 250°C

no data available Ignition temperature: Decomposition temperature: no data available Lower explosion limit (Vol%): no data available Upper explosion limit (Vol%): no data available Flammability (solid, gas): no data available Oxidizing properties: not applicable Autoignition temperature: not applicable not applicable pH: Melting point/range: no data available Boiling point/boiling range: no data available Vapor pressure: no data available Density at 73 °F (23 °C) 1.85 +/- 0.03 g/cm<sup>3</sup> Viscosity, dynamic: no data available Viscosity, kinematic: no data available Relative vapor density: no data available Evaporation rate: no data available

VOC: When appropriately mixed with the other part, product has a VOC less water and exempt solvent of:

not applicable

97 g/l Regulatory VOC (less water and exempt solvent) 687 g/l; VOC Method 310 56.49 %

#### Section 10: Stability and reactivity

**Reactivity:** No data available.

Burning rate:

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous reactions: No data available. Conditions to avoid: Avoid heat or contamination. Incompatible Materials: Avoid contact with acids.

Hazardous Decomposition Products: Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

#### Section 11: Toxicological information

#### Information on likely routes of exposure

Inhalation: In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes.

**Skin Contact:** Causes severe skin burns. May cause an allergic skin reaction.

**Eye contact:** Causes serious eye damage. **Ingestion:** May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No data available. Skin Contact: No data available. Eye contact: No data available. Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product: ATEmix: 2,757.27 mg/kg
Dermal Product: ATEmix: 5,104.45 mg/kg



## Prepared in accordance with GHS standard Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Revision date: June 2019 Page: Page 5 of 8

Inhalation Product: ATEmix: 17.65 mg/l

Repeated dose toxicity Product: No data available.

Skin Corrosion/Irritation Product: No data available.

Specified substance(s):

4-Nonylphenol in vivo (Rabbit): Category 1B Experimental result, Weight of Evidence study

Benzyl alcohol in vivo (Rabbit): Not irritant Experimental result, Key study

Heavy aromatic naphtha in vivo (Rabbit): Irritating Experimental result, Key study

Serious Eye Damage/Eye Irritation

**Product:** 

Specified substance(s): No data available. 4-Nonylphenol Rabbit, 24 - 72 hrs: Corrosive

Heavy aromatic naphtha Rabbit, 24 - 72 hrs: Not irritating

**Respiratory or Skin Sensitization Product:** No data available.

Carcinogenicity Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified

**Germ Cell Mutagenicity** 

In vitro Product: No data available. In vivo Product: No data available.

Reproductive toxicity Product: Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard Product: No data available.

Other effects: No data available.

#### Section 12: Ecological information

**Ecotoxicity:** Acute hazards to the aquatic environment:

Fish Product: No data available.

**Specified substance(s):** 

4-Nonylphenol

LC 50 (Fathead minnow (Pimephales promelas), 96 h): 0.13825 mg/l Mortality

Benzyl alcohol

LC 50 (Fathead minnow (Pimephales promelas), 96 h): 460 mg/l Mortality

Aquatic Invertebrates Product: No data available.

Specified substance(s):

Benzyl alcohol

EC 50 (Daphnia magna, 48 h): 230 mg/l Experimental result, Key study

**Triethylenetetramine** 

LC 50 (Water flea (Daphnia magna), 48 h): 33.9 mg/l Intoxication

Chronic hazards to the aquatic environment:

Fish Product: No data available.

Specified substance(s):

Heavy aromatic naphtha



## Prepared in accordance with GHS standard Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Revision date: June 2019 Page: Page 6 of 8

NOAEL (Oncorhynchus mykiss, 28 d): 0.098 mg/l QSAR QSAR, Key study

**Aquatic Invertebrates Product:** No data available. **Toxicity to Aquatic Plants Product: No data available.** 

Persistence and Degradability Biodegradation Product: No data available.

BOD/COD Ratio Product: No data available.

Bioaccumulative Potentia Bioconcentration Factor (BCF) Product: No data available.

Specified substance(s):

4-Nonylphenol

Fathead minnow (Pimephales promelas), Bioconcentration Factor (BCF): 988 (Flow through)

Partition Coefficient n-octanol / water (log Kow) Product: No data available.

Specified substance(s):
Benzyl alcohol Log Kow: 1.10
Mobility in Soil: No data available.

Other Adverse Effects: Very toxic to aquatic organisms.

#### Section 13: Disposal considerations

**Disposal instructions:** Dispose of waste at an appropriate treatment and disposal facility in accordance with pplicable

laws and regulations, and product characteristics at time of disposal.

Contaminated Packaging: No data available.

#### **Section 14: Transport information**

**TDG:** UN1760, CORROSIVE LIQUID, N.O.S. (Alkaline Amine), 8, PG III **CFR / DOT:** UN1760, Corrosive liquids, n.o.s. (Alkaline Amine), 8, PG III

IMDG: UN1760, CORROSIVE LIQUID, N.O.S. (Alkaline Amine, Nonylphenol), 8, PG III, MARINE POLLUTANT

Further Information: The above shipping description may not be accurate for all container sizes and all modes of

transportation. Please refer to Bill of Lading.

#### Section 15: Regulatory information

US Federal Regulations TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Chemical Identity Reportable quantity

**4-Nonylphenol**: De minimis concentration: TSCA 5% One-Time Export Notification only.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

**CERCLA Hazardous Substance List (40 CFR 302.4):** 

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** 

Immediate (Acute) Health Hazards Delayed (Chronic) Health Hazard

**SARA 302 Extremely Hazardous Substance** 

None present or none present in regulated quantities.

**SARA 304 Emergency Release Notification** 

None present or none present in regulated quantities.

SARA 311/312 Hazardous Chemical



## Prepared in accordance with GHS standard Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Revision date: June 2019 Page: Page 7 of 8

#### **Chemical Identity**

4-Nonylphenol 10,000 lbs

Benzyl alcohol

Proprietary mixed cycloaliphatic amines in SAP 12837 10,000 lbs
Heavy aromatic naphtha 10,000 lbs
Proprietary tertiary amine in SAP 12837 10,000 lbs
Triethylenetetramine 10,000 lbs

SARA 313 (TRI Reporting)

**Chemical Identity** 

4-Nonylphenol

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

**US State Regulations** 

**US. California Proposition 65** 

No ingredient regulated by CA Prop 65 present.

US. New Jersey Worker and Community Right-to-Know Act

**Chemical Identity** 

Heavy aromatic naphtha

Triethylenetetramine

**US. Massachusetts RTK - Substance List** 

**Chemical Identity** 

4-Nonylphenol

Benzyl alcohol

Heavy aromatic naphtha

Triethylenetetramine

**US. Pennsylvania RTK - Hazardous Substances** 

**Chemical Identity** 

4-Nonylphenol

Benzyl alcohol

Heavy aromatic naphtha

**Triethylenetetramine** 

#### **US. Rhode Island RTK**

No ingredient regulated by RI Right-to-Know Law present.

International regulations

Montreal protocol

not applicable

#### Stockholm convention

not applicable



## Prepared in accordance with GHS standard Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Revision date: June 2019 Page: Page 8 of 8

**Rotterdam convention** 

not applicable

**Kyoto protocol** 

not applicable

#### Section 16: Other information

#### **HMIS Classification**

Please see the front page

**Caution:** HMIS® rating is based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® rating is not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® rating is to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). Please note HMIS® attempts to convey full health warning information to all employees.

#### Notice to reader

The information contained in this Safety Data Sheet is based on our level of knowledge at the time of its preparation. Our most current Sales Terms & Conditions shall apply. Please consult the technical data sheet for the appropriate products, and current guide specifications and application instructions, prior to any use and processing.

The terms of this Safety Data Sheet do not create, or infer, any warranty, express or implied, including by incorporation into, or reference in, any seller's documents or sales agreement.