

# Prepared in accordance with GHS standard Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Revision date: June 2019 Page: Page 1 of 6

## **Section 1: Identification**

**Product Identifier (Name)** Gem-Cote VR WB<sup>™</sup> Component A

### Relevant identified uses of the chemical and restriction on use

The "Relevant" use identified is provided solely to conform to Governmental requirements and is not included in the manufacturer's published data and specifications. The complete information on identified uses is not available now, and the Safety Data Sheet ("SDS") will be updated, as it becomes available.

### Details of the supplier of the safety data sheet

Manufacturer Gemite Products Inc.

1787 Drew Road, Mississauga, Ontario, L5S 1J5, Canada

Telephone (905) 672-2020 Emergency telephone number 905 672 2020

Other means of identification

Chemical family Epoxy Resin sealer for concrete – water borne

### Section 2: Hazard(s) identification

### 2. Hazards identification

#### **GHS Classification**

Skin corrosion/irritationCategory 2Serious eye damage/eye irritationCategory 2ASkin sensitizationCategory 1

### **GHS Label element**



## Inhalation

Remove to fresh air. Get medical attention immediately if symptoms occur.

### **Eve contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.

### Skin contact

May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. Wash off immediately with soap and plenty of water for at least 15 minutes.

#### Ingestion

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

#### Self-protection of the first aider

Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed: Low toxicity.

### Note to physicians

Treatment based on sound judgment of physician and individual reactions of patient.



# Prepared in accordance with GHS standard Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Revision date: June 2019 Page: Page 2 of 6

Low toxicity. May cause dermatitis, prolonged or repeated contact may cause skin sensitization. Causes serious eye irritation Vapors given off by heated product may be harmful. Causes skin irritation

See Section 11 for more detailed information on health effects and symptoms.

Section 3: Composition/information on ingredients				
INGREDIENTS	%	TLV	CAS NO.	
Epoxy Resin Bisphenol A epichlorhydrin	40-70	N/A	25068-38-6	
Oxirane, Mono[(c12-14-alkyloxy)methyl]	10-13	N/A	68609-97-2	
Aliphatic Glycidyl Ether	5- 10	N/A	2461-15-6	

### Section 4: First-aid measures

### **Description of First Aid measures**

If inhaled: Move to fresh air.

In case of skin contact: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. In case of eye contact: Flush eyes with water as a precaution. Remove contact lenses. Keep eye wide open while rinsing. If swallowed: Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed: No known significant effects or hazards.

See Section 11 for more detailed information on health effects and symptoms. **Protection of first-aiders**: No hazards which require special first aid measures.

**Notes to physician**: Treat symptomatically.

## Section 5: Fire-fighting measures



# Prepared in accordance with GHS standard Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Revision date: June 2019 Page: Page 3 of 6

### **Suitable Extinguishing Media**

Carbon dioxide. Dry chemical. Water may not be effective to extinguish fire. Foam.

#### Specific hazards arising from the substance or mixture

Containers may rupture. Use water spray to cool containers. The frothing may be violent and could endanger personnel close to the fire. However, a water spray or fog that is carefully applied to the surface of the liquid, preferably with a fine spray or fog nozzle, will cause frothing that will blanket and extinguish the fire. Water may cause frothing. Epoxy resin solutions may accumulate static charge during unloading or use. Do not direct a solid stream of water or foam into hot, burning pools; this may cause frothing and increase fire intensity. Fight fire from a safe distance and from a protected location. Isolate and restrict area access.

## **Hazardous combustion products**

Toxic fumes. Oxides of carbon.

### Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment

### Section 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures:

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Local authorities should be advised if significant spillages cannot be contained.

**Environmental precautions:** Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up: Prevent further leakage or spillage if safe to do so. Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal

#### Section 7: Handling and storage

**Precautions for safe handling:** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. **Conditions for safe storage, including any incompatibilities:** Place away from incompatible materials. Store in a cool,

dry, well ventilated area, away from heat and ignition

sources. Store in accordance with good industrial practices.

#### Section 8: Exposure controls/personal protection

This product as supplied contains no hazardous substances with occupational exposure limit values. Contact local authorities for applicable exposure limits

**Appropriate engineering controls:** Local exhaust ventilation as necessary to maintain exposures to within applicable limits. Individual protection measures, such as personal protective equipment

**Eye/face protection:** Chemical safety glasses with side shields or splash proof goggles.

**Hand protection:** Impervious gloves. Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Skin and body protection:** Wear suitable protective clothing. Long sleeved clothing. If exposure exceeds occupational exposure limits, use an appropriate NIOSH-approved respirator.

**General hygiene considerations:** Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing.

**Respiratory protection**: Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapor/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

**Hygiene measures:** Wash hands before breaks and immediately after handling the product. Remove contaminated clothing and protective equipment before entering eating area.

## Section 9: Physical and chemical properties



# Prepared in accordance with GHS standard Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Revision date: June 2019 Page: Page 4 of 6

### Information on basic physical and chemical properties

Physical state liquid

Color yellowish for un-tinted Comp. A – color when tinted

Odor mild

Odor threshold no information available

not applicable Flash point: Ignition temperature: not applicable Decomposition temperature: no data available Lower explosion limit (Vol%): no data available Upper explosion limit (Vol%): no data available not applicable Flammability (solid, gas): Oxidizing properties: no data available Autoignition temperature: not applicable pH: not applicable Melting point/range: no data available Boiling point/boiling range: >150°C (>302 °F) Flash point: >250°C (>482°F) Vapor pressure: no data available Density at 73 °F (23 °C) 1.16-1.18 g/cm<sup>3</sup> Viscosity, dynamic: no data available

Viscosity, kinematic: 8,000 – 10,000 cps@25oC

Relative vapor density:

Evaporation rate:

Burning rate:

Volatile organic compounds, (VOC) content: no data available

## Section 10: Stability and reactivity

**Reactivity/Chemical Stability:** Stable under normal conditions **Possibility of hazardous reactions:** No additional remark.

Conditions to avoid: Excessive heating over a long period of time degrades the resin. Avoid contact with heat, sparks,

open flame, and static discharge.

Incompatible materials: Strong acids. Strong bases. Strong oxidizers. Amines.

Hazardous decomposition products: Toxic fumes. Oxides of carbon.

### Section 11: Toxicological information

### Information on likely routes of exposure

Inhalation: Vapors given off by heated product may be harmful.

**Eye contact:** Causes serious eye irritation.

Skin contact: May cause dermatitis, prolonged or repeated contact may cause skin sensitization. Causes skin irritation.

Ingestion: Low toxicity.

Information on toxicological effects

Symptoms: itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

Numerical measures of toxicity

Acute toxicity: The following values are calculated based on chapter 3.1 of the GHS document. ATE mix (oral) 11,400.00

mg/kg

Delayed and immediate effects as well as chronic effects from short and long-term exposure



# Prepared in accordance with GHS standard Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Revision date: June 2019 Page: Page 5 of 6

Skin corrosion/irritation: Causes skin irritation. May cause dermatitis, prolonged or repeated contact may cause skin

sensitization.

Serious eve damage/eve irritation: Causes serious eve irritation.

**Respiratory or skin sensitization:** May cause sensitization by skin contact.

Germ cell mutagenicity: No information available.

**Carcinogenicity**: No information available. **Reproductive toxicity**: No information available.

Specific target organ systemic toxicity - single exposure: No information available.

Specific target organ systemic toxicity - repeated exposure: No information available.

**Aspiration hazard:** No information available. **Reproductive toxicity:** No information available.

**Specific target organ systemic toxicity - single exposure:** No information available. **Specific target organ systemic toxicity - repeated exposure:** No information available.

## Section 12: Ecological information

### **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Persistence and degradability: No information available.

Bioaccumulation: No information available.

Other information: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### **Section 13: Disposal considerations**

**Waste treatment methods:** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. Do not reuse empty containers.

**Waste from residues:** Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. **Contaminated packaging:** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14: Transport information

DOT: not dangerous goods
IATA: not dangerous goods
IMDG: not dangerous goods
Special precautions for user: no data available

Section 15: Regulatory information

TSCA Complies DSL/NDSL Complies

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### Section 16: Other information

**HMIS Classification** 

**HMIS Health Rating:** Health hazards 2

Flammability 0 Physical hazards 0 Personal protection X Health hazards 2

NFPA: Health hazards

Flammability 0



# Prepared in accordance with GHS standard Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Revision date: June 2019 Page: Page 6 of 6

Instability 0
Physical and chemical properties – personal protection X

**Caution:** HMIS® rating is based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® rating is not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® rating is to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). Please note HMIS® attempts to convey full health warning information to all employees.

#### Notice to reader

The information contained in this Safety Data Sheet is based on our level of knowledge at the time of its preparation. Our most current Sales Terms & Conditions shall apply. Please consult the technical data sheet for the appropriate products, and current guide specifications and application instructions, prior to any use and processing.

The terms of this Safety Data Sheet do not create, or infer, any warranty, express or implied, including by incorporation into, or reference in, any seller's documents or sales agreement.



# Prepared in accordance with GHS standard Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Revision date: June 2019 Page: Page 1 of 6

## **Section 1: Identification**

**Product Identifier (Name)** Gem-Cote VR WB<sup>™</sup> Component B

### Relevant identified uses of the chemical and restriction on use

The "Relevant" use identified is provided solely to conform to Governmental requirements and is not included in the manufacturer's published data and specifications. The complete information on identified uses is not available now, and the Safety Data Sheet ("SDS") will be updated, as it becomes available.

### Details of the supplier of the safety data sheet

Manufacturer Gemite Products Inc.

1787 Drew Road, Mississauga, Ontario, L5S 1J5, Canada

Telephone (905) 672-2020 Emergency telephone number 905 672 2020

Other means of identification

Chemical family Epoxy Resin Curative

### Section 2: Hazard(s) identification

## 2. Hazards identification

## **Emergency Overview**

Harmful if swallowed Severe eye irritant

Moderate respiratory irritant

Moderate skin irritant

Risk of serious damage to eyes

### **Potential Health Effects**

**Inhalation**: Harmful if inhaled and may cause delayed lung injury. May cause nose, throat, and lung irritation. Inhalation of vapors and/or aerosols in high concentration may cause irritation of respiratory system

Eye contact: Severe eye irritation

**Skin contact**: Causes skin irritation **Ingestion**: Harmful if swallowed

Chronic health hazard: This product contains no listed carcinogens according to IARC, ACGIH, NTP and/or OSHA in

concentration of 0.1% or greater

# **Exposure guidelines**

Target organs: Eyes

Respiratory system

Skin

Symptoms: Repeated and/or prolonged exposure to low concentrations of vapors and/or aerosols may cause sore

throat.



# Prepared in accordance with GHS standard Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Revision date: June 2019 Page: Page 2 of 6

### **GHS Label elements**



Signal Word: Danger

**Hazard Statement:** 

Harmful if inhaled.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.

Causes damage to organs through prolonged or repeated exposure.

Very toxic to aquatic life.

### **Precautionary Statements:**

**Prevention:** Use only outdoors or in a well-ventilated area. Do not breathe dust or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Avoid release to the environment.

**Response:** IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Specific treatment (see this label). Wash contaminated clothing before reuse. Collect spillage.

Storage: Store locked up.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC): None.

### Section 3: Composition/information on ingredients

INGREDIENTS	%	CAS#
Beta amino ketone adduct	50 - <80%	Not available

The composition is trade secret

### Section 4: First-aid measures

**Ingestion:** Rinse mouth. Call a physician or poison control center immediately. Never give liquid to an unconscious person. Do not induce vomiting without advice from poison control center.

**Inhalation:** breathing stops, provide artificial respiration. Move to fresh air. If breathing is difficult, give oxygen.



# Prepared in accordance with GHS standard Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Revision date: June 2019 Page: Page 3 of 6

**Skin Contact:** Call a physician or poison control center immediately. Destroy or thoroughly clean contaminated shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical attention.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately.

### Most important symptoms/effects, acute and delayed

**Symptoms:** Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping. Extreme irritation of eyes and mucous membranes, including burning and tearing. Indication of immediate medical attention and special treatment needed

**Treatment:** Symptoms may be delayed.

### Section 5: Fire-fighting measures

Suitable extinguishing media: Alcohol resistant foam

Carbon dioxide (CO<sub>2</sub>)

Dry sand

Limestone powder

**Specific hazards arising from the chemical:** During fire, gases, carbon monoxide an nitrogen oxide, hazardous to health may be formed.

**Special protective equipment for fire-fighters:** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

### Section 6: Accidental release measures

**Personal precautions, protective equipment and emergency procedures:** See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

**Methods and material for containment and cleaning up:** Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations. **Notification Procedures:** In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid release to the environment.

### Section 7: Handling and storage

**Precautions for safe handling:** Wash hands thoroughly after handling. Do not get in eyes. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Do not get in eyes, on skin, on clothing. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities: Store locked up.



# Prepared in accordance with GHS standard Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Revision date: June 2019 Page: Page 4 of 6

## Section 8: Exposure controls/personal protection

### **Engineering measures**

Provide readily accessible eye wash stations and safety showers

Provide natural or explosion-proof ventilation

Personal protective equipment

Respiratory protection: Wear appropriate respirator when ventilation is not adequate

**Hand protection:** Butyl rubber

Nitrile rubber Neoprene gloves Impervious gloves

**Eye protection:** Chemical resistant ogle must be worn

Skin and body protection: Long sleeve shirts and trousers without cuffs

### Section 9: Physical and chemical properties

## Information on basic physical and chemical properties

Physical state liquid
Color amber
Odor mild pungent
Flash point: 104 °C

Autoignition temperature: not applicable

pH: 11.2 Boiling point/boiling range: >100 °C

Vapor pressure:no data availableDensity at 73 °F (23 °C)1.08 g/cm³Viscosity, dynamic:400 mPa.s at 25°C

Burning rate: not applicable

### Section 10: Stability and reactivity

Reactivity: No data available.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous reactions: No data available. Conditions to avoid: Avoid heat or contamination. Incompatible Materials: Avoid contact with acids.

Hazardous Decomposition Products: Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

### **Section 11: Toxicological information**

### Acute health hazard

Ingestion: LD50: >500-2,000 mg/kg species - rat

Inhalation: Na data available

Dermal: LD50 > 2,000 mg/kg species – rabbit

P:\- Pool\SDS\- Gem-Cote VR WB Component B Page 4 of 6



# Prepared in accordance with GHS standard Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Revision date: June 2019 Page: Page 5 of 6

Eye irritation/corrosion: severe eye irritation
Skin irritation/corrosion: moderate skin irritation

### Section 12: Ecological information

**Exotoxicity effect** 

Aquatic toxicity: no data available
Toxicity to other organisms: no data available
Persistance and degradability: no data available

### Section 13: Disposal considerations

**Disposal instructions:** Dispose of waste at an appropriate treatment and disposal facility in accordance with pplicable laws and regulations, and product characteristics at time of disposal.

Contaminated Packaging: No data available.

### **Section 14: Transport information**

DOT: not dangerous goods
IATA: not dangerous goods
IMDG: not dangerous goods
TDG: not dangerous goods

# Section 15: Regulatory information

**US. OSHA Hazard Communication Standard (29 CFR 1910.1 200) Hazard Classes Irritant:** contact manufacturer for regulatory list of several countries.

EPA SARA 313 Title III (40 CFR 372) Component (s) above the minimum levels - none

WHMIS Ingredient Disclosure List Toxic Material Causing Other Toxic Effects

WHMIS Trade Secret Registry Number - contact manufacturer

## Section 16: Other information

### **HMIS Classification**

**HMIS Rating** 

Health: 2 Flammability: 1 Physical hazard 0

**Caution:** HMIS® rating is based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® rating is not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® rating is to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). Please note HMIS® attempts to convey full health warning information to all employees.



# Prepared in accordance with GHS standard Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II

Revision date: June 2019 Page: Page 6 of 6

## Notice to reader

The information contained in this Safety Data Sheet is based on our level of knowledge at the time of its preparation. Our most current Sales Terms & Conditions shall apply. Please consult the technical data sheet for the appropriate products, and current guide specifications and application instructions, prior to any use and processing.

The terms of this Safety Data Sheet do not create, or infer, any warranty, express or implied, including by incorporation into, or reference in, any seller's documents or sales agreement.